

## Kitemark™ Certificate

This is to certify that:

Eurocell Profiles Ltd  
Fairbrook House  
Clover Nook Road  
Alfreton  
DE55 4RF  
United Kingdom

Holds Certificate Number:

KM 500319


In respect of:

**BS EN 12608 / PAS24**  
**PVCU Profile - Enhanced Security Doors System Supplier**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:



Chris Lewis - Certification Director, Product Certification

First Issued: 2006-04-21  
Latest Issue: 2019-09-25

Effective Date: 2019-09-25  
Expiry Date: 2022-09-24



Page: 1 of 12

...making excellence a habit.™

# Kitemark™ Certificate

No. KM 500319

## **BS EN 12608 – 1 :2016 / PAS 24:2016 - General and enhanced security performance requirements for door assemblies.**

This Certificate covers the following door system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. The following products are also certified for use with windows and doors in conjunction with BS 7412 and PAS 24 when foiled in accordance with BS 7722:2010.

### **Syncro Sliding Patio Door System**

Fabricated and installed in accordance with the latest issue of the following Eurocell Profiles Limited controlled manual(s):

Syncro Product Manual

#### **System description:**

The door assemblies comprise up to 4 leaves in a sliding and fixed combination, laminated on one pane to P1A, glazed with or without welded or mechanically jointed midrail with full frame or low threshold and otherwise fully welded construction.

The doorsets are fitted with Door Hardware supplied by Eurocell/ERA and includes Lock kits, handle and cylinder combination providing 3\* security minimum. Doors are classified as D.

#### **Approved Profiles**

<b>Description</b>	<b>Profile Code</b>	<b>Reinforcement Code</b>
Outer Frame	EWS 7050	EWS 652S
Door Sash	EWS 7055	EWS 659S/EWS 660S/EWS 7555A
Mid Rail	EWS 7056	EWS 7556A
Low Threshold	EWS 7551A	

First Issued: 2006-04-21

Latest Issue: 2019-09-25

Effective Date: 2019-09-25

Expiry Date: 2022-09-24

Page: 11 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 500319

## Syncro Sliding Patio Door System

### Size Limitations and Exposure Categories

Door Type	Length (mm) - Maximum	Height (mm) - Maximum (including sill)	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1
Maximum dimensions with approved outer frame and sash profiles:						
4 leaves	6000	2455	3	3	2B	800
2 leaves	3200	2455	3	4	2A	800
2 leaves	3500	2100	3	4	2B	800
2 leaves low threshold	3500	2100	3	3	2B	800

First Issued: 2006-04-21  
Latest Issue: 2019-09-25

Effective Date: 2019-09-25  
Expiry Date: 2022-09-24

Page: 12 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).